ELSEVIER

Neuroscience Letters 316 (2001) 188–190

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 316

Adams, M.B., Brown, R.E., Gibson, C., Coulter, C.L., McMillen, I.C., Tyrosine hydroxylase protein content in the medulla oblongata of the foetal sheep brain increases in response to acute but not chronic hypoxia, 63
Afrah, A.W., Stiller, C.-O., Olgart, L., Brodin, E., Gustafsson, H., Involvement of spinal *N*-methyl-D-aspartate receptors in capsaicin-induced in vivo release of substance P in the rat dorsal horn, 83
Ahn, M., Min, D.S., Kang, J., Jung, K., Shin, T., Increased expression of phospholipase D1 in the spinal cords of rats with experimental autoimmune encephalomyelitis, 95
Alonso, G., see Kahn, L., 178
Ando, M., see Sawada, K., 87
Antón, B., see León-Olea, M., 141
Arendt-Nielsen, L., see Chen, A.C.N., 79
Atobe, Y., see Funakoshi, K., 111

Baier-Bitterlich, G., see Enzinger, C., 157
Barba, R., see del Ser, T., 21
Bayer, T.A., see Wirths, O., 145
Becker, C.-M., see Büsselberg, D., 99
Becker, K., see Büsselberg, D., 99
Behl, C., see Yamamoto, A., 50
Berciano, J., see Sánchez-Guerra, M., 17
Bertorelli, R., see Di Giannuario, A., 25
Beyreuther, K., see Wirths, O., 145
Bischoff, A.-M., see Büsselberg, D., 99
Blanchard, V., see Wirths, O., 145
Bland-Ward, P.A., see Martindale, J., 33
Blomqvist, A., see Engström, L., 165
Böck, G., see Enzinger, C., 157
Bockaert, J., see Kahn, L., 178
Bornstein, B., see del Ser, T., 21
Bourdon, L., see Canini, F., 45
Brand, G., Jacquot, L., Quality of odor and olfactory lateralization processes in humans, 91
Brodin, E., see Afrah, A.W., 83
Brown, R.E., see Adams, M.B., 63
Buguet, A., see Canini, F., 45
Büsselberg, D., Bischoff, A.-M., Becker, K., Becker, C.-M., Richter, D.W., The respiratory rhythm in mutant *oscillator* mice, 99

Calo, G., see Di Giannuario, A., 25
Canini, F., Buguet, A., Bourdon, L., Inhibition of different types of nitric oxide synthase: effect on thermoregulation in the rat exposed to high ambient temperature, 45
Cemillán, C., see del Ser, T., 21
Chen, A.C.N., Niddam, D.M., Arendt-Nielsen, L., Contact heat evoked potentials as a valid means to study nociceptive pathways in human subjects, 79
Chen, J., see Li, Y., 67
Cheng, E.Y., see Ohsawa, M., 1
Chessell, I.P., see Martindale, J., 33
Chopp, M., see Li, Y., 67
Chun, H.S., Lee, H., Son, J.H., Manganese induces endoplasmic reticulum (ER) stress and activates multiple caspases in nigral dopaminergic neuronal cells, SN4741, 5
Combarros, O., see Sánchez-Guerra, M., 17
Coulson, S., Kutas, M., Getting it: human event-related brain response to jokes in good and poor comprehenders, 71
Coulter, C.L., see Adams, M.B., 63
Cruz, R., see León-Olea, M., 141
Czech, C., see Wirths, O., 145

Dallel, R., see Ngom, P.I., 149
del Ser, T., Bornstein, B., Barba, R., Cemillán, C., Relationship of angiotensin converting enzyme genotype with serum triglyceride concentration in stroke patients, 21
Di Giannuario, A., Rizzi, A., Pieretti, S., Guerrini, R., Bertorelli, R., Salvadori, S., Regoli, D., Calo, G., Studies on the antinociceptive effect of [Nphe^1]nociceptin(1–13)NH_2 in mice, 25
Dubray, C., see Ngom, P.I., 149
Ducorps, A., see Taylor, M.J., 173

Engblom, D., see Engström, L., 165
Engström, L., Engblom, D., Örtegren, U., Mackerlova, L., Paues, J., Blomqvist, A., Preproenkephalin mRNA expression in rat parabrachial neurons: relation to cells activated by systemic immune challenge, 165
Enzinger, C., Wirleitner, B., Böck, G., Baier-Bitterlich, G., Fuchs, D., Influence of cytokines tumor necrosis factor-α and interferon-γ on signaling cascades associated with apoptosis in rat PC12 cells, 157

Fernández-Luna, J.L., see Sánchez-Guerra, M., 17
Fernández-Viadero, C., see Sánchez-Guerra, M., 17
Fitzakerley, J.L., Survival and differentiation of neurons cultured from the mouse cochlear nucleus on extracellular matrix components, 183
Fontalba, A., see Sánchez-Guerra, M., 17
Fuchs, D., see Enzinger, C., 157
Fukui, Y., see Sawada, K., 87
Funakoshi, K., Nakano, M., Atobe, Y., Kadota, T., Goris, R.C., Kishida, R., Selective projections of cholecystokinin-8 immunoreactive fibers to galanin immunoreactive sympathetic preganglionic neurons in a teleost, *Stephanolepis cirrhifer*, 111

Garland, S.J., see Klein, C.S., 153
George, N., see Taylor, M.J., 173
Gibson, C., see Adams, M.B., 63
Gil-Ad, I., see Offen, D., 129

PII: S0304-3940(01)02521-6

Glantz, S.B., see Huh, G.-Y., 41
Goris, R.C., see Funakoshi, K., 111
Gruber, T., Keil, A., Müller, M.M., Modulation of induced gamma band responses and phase synchrony in a paired associate learning task in the human EEG, 29
Guerrini, R., see Di Giannuario, A., 25
Gustafsson, H., see Afrah, A.W., 83

Hadad, D., see Offen, D., 129
Hashimoto, N., see Toda, H., 9
Heggelund, P., see Kielland, A., 59
Hoki, S., see Toda, H., 9
Hoshi, Y., see Tanosaki, M., 75
Huh, G.-Y., Glantz, S.B., Je, S., Morrow, J.S., Kim, J.H., Calpain proteolysis of αII-spectrin in the normal adult human brain, 41
Hussain, S., see Velíšková, J., 108

Iguchi, Y., see Tanosaki, M., 75
Infante, J., see Sánchez-Guerra, M., 17
Ishihara, A., see Nomura, T., 55
Ivanova, T.D., see Klein, C.S., 153
Iwakami, N., see Toda, H., 9
Iwase, S., see Nomura, T., 55

Jacquot, L., see Brand, G., 91
Je, S., see Huh, G.-Y., 41
Jung, K., see Ahn, M., 95

Kadota, T., see Funakoshi, K., 111
Kahn, L., Alonso, G., Robbe, D., Bockaert, J., Manzoni, O.J., Group 2 metabotropic glutamate receptors induced long term depression in mouse striatal slices, 178
Kamiya, A., see Nomura, T., 55
Kang, J., see Ahn, M., 95
Kanzaki, R., see Okada, K., 133
Kawai, K., see Ohsawa, M., 1
Kawano, F., see Nomura, T., 55
Keil, A., see Gruber, T., 29
Kielland, A., Heggelund, P., AMPA receptor properties at the synapse between retinal afferents and thalamocortical cells in the dorsal lateral geniculate nucleus of the rat, 59
Kim, J.H., see Huh, G.-Y., 41
Kimura, T., see Toda, H., 9
Kishida, R., see Funakoshi, K., 111
Klein, C.S., Ivanova, T.D., Rice, C.L., Garland, S.J., Motor unit discharge rate following twitch potentiation in human triceps brachii muscle, 153
Kohen, R., see Moor, E., 169
Kondo, E., see Nagano, Y., 103
Kutas, M., see Coulson, S., 71

Lee, H., see Chun, H.S., 5
León-Olea, M., Miller-Pérez, C., Cruz, R., Antón, B., Vega, R., Soto, E., Immunohistochemical localization and electrophysiological action of nociceptin/orphanin-FQ in the snail (*Helix aspersa*) neurons, 141
Li, Y., Chen, J., Wang, L., Zhang, L., Lu, M., Chopp, M., Intracerebral transplantation of bone marrow stromal cells in a 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine mouse model of Parkinson's disease, 67
Liptáková, S., see Velíšková, J., 108
Llorca, J., see Sánchez-Guerra, M., 17
Lu, M., see Li, Y., 67

Mackerlova, L., see Engström, L., 165
Mano, T., see Nomura, T., 55
Manzoni, O.J., see Kahn, L., 178
Martindale, J., Bland-Ward, P.A., Chessell, I.P., Inhibition of C-fibre mediated sensory transmission in the rat following intraplantar formalin, 33
McMillen, I.C., see Adams, M.B., 63
Melamed, E., see Offen, D., 129
Miller-Pérez, C., see León-Olea, M., 141
Min, D.S., see Ahn, M., 95
Mitarai, G., see Nomura, T., 55
Mizoguchi, H., see Ohsawa, M., 1
Moor, E., Kohen, R., Reiter, R.J., Shohami, E., Closed head injury increases extracellular levels of antioxidants in rat hippocampus in vivo: an adaptive mechanism?, 169
Morrow, J.S., see Huh, G.-Y., 41
Mozumi-Kitamura, K., see Toda, H., 9
Müller, M.M., see Gruber, T., 29
Multhaup, G., see Wirths, O., 145

Nagano, Y., Yamashita, H., Nakamura, T., Takahashi, T., Kondo, E., Nakamura, S., Lack of binding observed between human α-synuclein and Bcl-2 protein family, 103
Nagase, H., see Ohsawa, M., 1
Nakamura, S., see Nagano, Y., 103
Nakamura, T., see Nagano, Y., 103
Nakano, M., see Funakoshi, K., 111
Narita, M., see Ohsawa, M., 1
Narita, M., see Ohsawa, M., 1
Ngom, P.I., Dubray, C., Woda, A., Dallel, R., A human oral capsaicin pain model to assess topical anesthetic–analgesic drugs, 149
Niddam, D.M., see Chen, A.C.N., 79
Nomura, T., Kawano, F., Ishihara, A., Sato, Y., Mitarai, G., Iwase, S., Kamiya, A., Mano, T., Ohira, Y., Enhanced Hoffman-reflex in human soleus muscle during exposure to microgravity environment, 55

Oda, I., see Tanosaki, M., 75
Oda, M., see Tanosaki, M., 75
Offen, D., Shtaif, B., Hadad, D., Weizman, A., Melamed, E., Gil-Ad, I., Protective effect of insulin-like-growth-factor-1 against dopamine-induced neurotoxicity in human and rodent neuronal cultures: possible implications for Parkinson's disease, 129
Ohira, Y., see Nomura, T., 55
Ohsawa, M., Shiraki, M., Mizoguchi, H., Narita, M., Kawai, K., Nagase, H., Cheng, E.Y., Narita, M., Tseng, L.F., Release of [Met^5]enkephalin from the spinal cord by intraventricularly administered endomorphin-2, but not endomorphin-1 in the anesthetized rat, 1
Oikawa, Y., see Tanosaki, M., 75
Okada, K., Kanzaki, R., Localization of odor-induced oscillations in the bumblebee antennal lobe, 133
Olgart, L., see Afrah, A.W., 83
Ono, S., see Toda, H., 9
Opsommer, E., Plaghki, L., Maturational changes in the thermoalgesic system in humans from childhood to adulthood revealed by CO_2 laser evoked brain potentials following cutaneous heat stimuli, 137
Örtegren, U., see Engström, L., 165

Paues, J., see Engström, L., 165
Peña, N., see Sánchez-Guerra, M., 17
Pieretti, S., see Di Giannuario, A., 25

Plaghki, L., see Opsommer, E., 137
Pradier, L., see Wirths, O., 145

Regoli, D., see Di Giannuario, A., 25
Reiter, R.J., see Moor, E., 169
Rice, C.L., see Klein, C.S., 153
Richter, D.W., see Büsselberg, D., 99
Rizzi, A., see Di Giannuario, A., 25
Robbe, D., see Kahn, L., 178

Sakata-Haga, H., see Sawada, K., 87
Salvadori, S., see Di Giannuario, A., 25
Sánchez-Guerra, M., Combarros, O., Infante, J., Llorca, J., Berciano, J., Fontalba, A., Fernández-Luna, J.L., Peña, N., Fernández-Viadero, C., Case-control study and meta-analysis of low density lipoprotein receptor-related protein gene exon 3 polymorphism in Alzheimer's disease, 17
Sato, Y., see Nomura, T., 55
Sawada, K., Sakata-Haga, H., Ando, M., Takeda, N., Fukui, Y., An increased expression of Ca^{2+} channel α_{1A} subunit immunoreactivity in deep cerebellar neurons of rolling mouse Nagoya, 87
Shin, T., see Ahn, M., 95
Shiraki, M., see Ohsawa, M., 1
Shohami, E., see Moor, E., 169
Shtaif, B., see Offen, D., 129
Son, J.H., see Chun, H.S., 5
Soto, E., see León-Olea, M., 141
Spatz, W.B., Unipolar brush cells in the human cochlear nuclei identified by their expression of a metabotropic glutamate receptor (mGluR2/3), 161
Stiller, C.-O., see Afrah, A.W., 83

Takahashi, J., see Toda, H., 9
Takahashi, T., see Nagano, Y., 103
Takeda, N., see Sawada, K., 87
Tanosaki, M., Hoshi, Y., Iguchi, Y., Oikawa, Y., Oda, I., Oda, M., Variation of temporal characteristics in human cerebral hemodynamic responses to electric median nerve stimulation: a near-infrared spectroscopic study, 75
Taylor, M.J., George, N., Ducorps, A., Magnetoencephalographic evidence of early processing of direction of gaze in humans, 173
Toda, H., Takahashi, J., Iwakami, N., Kimura, T., Hoki, S., Mozumi-Kitamura, K., Ono, S., Hashimoto, N., Grafting neural stem cells improved the impaired spatial recognition in ischemic rats, 9
Tremp, G., see Wirths, O., 145
Tseng, L.F., see Ohsawa, M., 1
Tso, P.H., Wong, Y.H., Role of extracellular signal-regulated kinases in opioid-induced adenylyl cyclase superactivation in human embryonic kidney 293 cells, 13

Vega, R., see León-Olea, M., 141
Velíšková, J., Liptáková, S., Hussain, S., The effects of *N*-methyl-D-aspartate antagonist 2-amino-7-phosphonoheptanoic acid microinfusions into the adult male rat substantia nigra pars reticulata are site-specific, 108

Wall, M.J., *Cis*-4-amino-crotonic acid activates α6 subunit-containing $GABA_A$ but not $GABA_C$ receptors in granule cells of adult rat cerebellar slices, 37
Wang, L., see Li, Y., 67
Weizman, A., see Offen, D., 129
Wirleitner, B., see Enzinger, C., 157
Wirths, O., Multhaup, G., Czech, C., Blanchard, V., Tremp, G., Pradier, L., Beyreuther, K., Bayer, T.A., Reelin in plaques of β-amyloid precursor protein and presenilin-1 double-transgenic mice, 145
Woda, A., see Ngom, P.I., 149
Wong, Y.H., see Tso, P.H., 13

Yamamoto, A., Behl, C., Human Nck-associated protein1 and its binding protein affect the metabolism of beta-amyloid precursor protein with Swedish mutation, 50
Yamashita, H., see Nagano, Y., 103

Zhang, L., see Li, Y., 67